



POLE DATA			FOUNDATION		
'A' HEIGHT	'P' MTG. HGT.	ACCEPTABLE PRODUCTS	'F' DEPTH	DIA	SQ
12', 14', 16'	VARIABLES	SEE CITY AUTHORIZED MATERIAL LIST.	30"	27"	24"
18'	VARIABLES		36"	27"	24"

NOTES:

- A. STREETLIGHT POLES AND LUMINARY HEADS SHALL BE PER CITY AUTHORIZED MATERIAL LIST.
- B. PULL BOX SHALL BE INSTALLED ADJACENT TO POLE WITHIN 36". PULL BOX SHALL NOT BE LOCATED IN SIDEWALK WITHOUT PRIOR APPROVAL OF THE CITY ENGINEER.
- C. WHEN A SECONDARY PULL BOX IS LOCATED WITHIN 8' OF POLE, PULL BOX IS NOT REQUIRED.

THE CITY OF WEST SACRAMENTO - STANDARD DETAIL

REGISTERED PROFESSIONAL ENGINEER
MARK LOUIS COLLIER
No. 54031
CIVIL
STATE OF CALIFORNIA

APPROVED: Aug. X, 2025

STANDARD
DETAIL #

603

TITLE:

**POST TOP
STREET LIGHT**

